



TECHNICAL DATA

GB HARD SURFACE CLEANER

APPLICATIONS

GB HARD SURFACE CLEANER has been developed using a blend of alkaline builders and biodegradable surfactants for the regular cleaning of paintwork, upholstery and hard surfaces.

MATERIAL COMPATIBILITY

GB HARD SURFACE CLEANER may be stored in stainless steel or mild steel tanks but brass taps must not be used. It will also attack aluminium and zinc.

The concentrate should not be applied to paintwork, coloured fabrics, tiles etc without a small scale test being carried out to ensure that there are no harmful effects.

DILUTION

GB HARD SURFACE CLEANER working solutions are applied by brush, swabs etc and surfaces should be thoroughly rinsed with clean water after a short period of contact. Spray application may also be used, but in most cases some form of agitation is required.

Floors, walls, tiles, glass etc	1 part GB HARD SURFACE CLEANER 80-100 parts of water
Heavily soiled sections and waxed floors	1 part GB HARD SURFACE CLEANER 10 parts of water
Vehicle bodies and paintwork	1 part GB HARD SURFACE CLEANER 80-100 parts of water
Vinyl and plastic upholstery	1 part GB HARD SURFACE CLEANER 10 or more parts of water
Brush washes	Dependant on system employed

For obstinate cleaning operations, GB HARD SURFACE CLEANER may be used in a stronger solution than quoted, or undiluted, but only after a small scale test has been carried out, to ensure that there are no harmful effects.

CHARACTERISTICS

TEST	UNIT	TYPICAL PHYSICAL CHARACTERISTICS
Appearance		Clear red liquid
Density @ 20°C	kg/m ³	1030
Flash point		Non-flammable

Cont'd .../...

GB LUBRICANTS

Albany Road Gateshead NE8 3BP
Tel: 0191 490 4312
Fax: 0191 477 9544
e-mail: gbsales@gb-lubricants-fuels.co.uk
www.gb-lubricants-fuels.co.uk

A division of Goodall Bates & Todd Ltd



Q 06093
ISO 9001



EMS 72776
ISO 14001



OHS 88475
OHSAS 18001

GB HARD SURFACE CLEANER

STORAGE AND HANDLING

GB HARD SURFACE CLEANER should be protected from freezing temperatures and stored under cover to avoid water collecting in the rim of upturned barrels.

HEALTH, SAFETY AND THE ENVIRONMENT

GB HARD SURFACE CLEANER is classified as hazardous under current UK Health & Safety and Environmental Legislation and should only be used in the application for which it is intended.

For guidance on storage and handling of all lubricants and related products, GB Lubricants recommend the Environment Agency, www.environment-agency.gov.uk, as an excellent source of advice.

If you have any queries, please do not hesitate to contact either your local Technical Sales Representative or our Technical Department.

The Company policy is to ensure that a range of products is supplied which complies with the latest specifications and codes within the relevant industry. As part of this development process, we therefore reserve the right to amend formulations and specifications, without prior notice.

TDS17.0207.02